

# Scientific References

1) Neuroinflammation mediates noise-induced synaptic imbalance and tinnitus in rodent models.

<https://journals.plos.org/plosbiology/article?id=10.1371/journal.pbio.3000307>

2) Wilson BS, Tucci DL, Merson MH, O'Donoghue GM. Global hearing health care: new findings and perspectives. *Lancet*. 2017;390(10111):2503–15.

<https://pubmed.ncbi.nlm.nih.gov/28705460/>

3) Nondahl DM, Cruickshanks KJ, Huang GH, Klein BE, Klein R, Nieto FJ, et al. Tinnitus and its risk factors in the Beaver Dam offspring study. *Int J Audiol*. 2011;50(5):313–20. pmid:21309642; PubMed Central PMCID: PMCPMC3073029.

<https://pubmed.ncbi.nlm.nih.gov/21309642/>

4) Yang S, Weiner BD, Zhang LS, Cho SJ, Bao S. Homeostatic plasticity drives tinnitus perception in an animal model. *Proc Natl Acad Sci U S A*. 2011;108(36):14974–9. Epub 2011/09/08. 1107998108 [pii] pmid:21896771.

<https://pubmed.ncbi.nlm.nih.gov/21896771/>

5) Li S, Choi V, Tzounopoulos T. Pathogenic plasticity of Kv7.2/3 channel activity is essential for the induction of tinnitus. *Proc Natl Acad Sci U S A*. 2013;110(24):9980–5. pmid:23716673.

<https://pubmed.ncbi.nlm.nih.gov/23716673/>

6) Li S, Kalappa BI, Tzounopoulos T. Noise-induced plasticity of KCNQ2/3 and HCN channels underlies vulnerability and resilience to tinnitus. *Elife*. 2015;4. pmid:26312501; PubMed Central PMCID.

<https://pubmed.ncbi.nlm.nih.gov/26312501/>

7) Kotak VC, Fujisawa S, Lee FA, Karthikeyan O, Aoki C, Sanes DH. Hearing loss raises excitability in the auditory cortex. *J Neurosci*. 2005;25(15):3908–18.

<https://pubmed.ncbi.nlm.nih.gov/15829643/>

8) Abbott SD, Hughes LF, Bauer CA, Salvi R, Caspary DM. Detection of glutamate decarboxylase isoforms in rat inferior colliculus following acoustic exposure. *Neuroscience*. 1999;93(4):1375–81. pmid:10501462.

<https://pubmed.ncbi.nlm.nih.gov/10501462/>

**9)** Milbrandt JC, Holder TM, Wilson MC, Salvi RJ, Caspary DM. GAD levels and muscimol binding in rat inferior colliculus following acoustic trauma. *Hear Res.* 2000;147(1–2):251–60. pmid:10962189.

**<https://pubmed.ncbi.nlm.nih.gov/10962189/>**

**10)** Browne CJ, Morley JW, Parsons CH. Tracking the expression of excitatory and inhibitory neurotransmission-related proteins and neuroplasticity markers after noise induced hearing loss. *PLoS ONE.* 2012;7(3):e33272. pmid:22428005.

**<https://pubmed.ncbi.nlm.nih.gov/22428005/>**

**11)** Llano DA, Turner J, Caspary DM. Diminished cortical inhibition in an aging mouse model of chronic tinnitus. *J Neurosci.* 2012;32(46):16141–8. Epub 2012/11/16. 32/46/16141 [pii] pmid:23152598.

**<https://pubmed.ncbi.nlm.nih.gov/23152598/>**

**12)** Tinnitus aurium in normally hearing persons.

**<https://citeseerx.ist.psu.edu/viewdoc/download?doi=10.1.1.656.4670&rep=rep1&type=pdf>**